

WRAPPING PAPER

KRAFT WRAPPING PAPER

Item No.	Size	Lbs. / Roll
Kraft - 30 lbs.		
WPR-3009	9" x 1625'	13
WPR-3012	12" x 1625'	17
WPR-3015	15" x 1625'	22
WPR-3018	18" x 1625'	26
WPR-3020	20" x 1625'	29
WPR-3024	24" x 1625'	35
WPR-3030	30" x 1625'	44
WPR-3036	36" x 1625'	52
WPR-3048	48" x 1625'	70
WPR-3060	60" x 1625'	87
WPR-3072	72" x 1625'	104
Kraft - 40 lbs.		
WPR-4006	6" x 1275'	9
WPR-4009	9" x 1275'	13
WPR-4012	12" x 1275'	17
WPR-4015	15" x 1275'	22
WPR-4018	18" x 1275'	26
WPR-4020	20" x 1275'	29
WPR-4024	24" x 1275'	35
WPR-4030	30" x 1275'	44
WPR-4036	36" x 1275'	52
WPR-4048	48" x 1275'	70
WPR-4060	60" x 1275'	87
WPR-4072	72" x 1275'	104
Kraft - 50 lbs.		
WPR-5009	9" x 1025'	13
WPR-5012	12" x 1025'	17
WPR-5015	15" x 1025'	22
WPR-5018	18" x 1025'	26
WPR-5020	20" x 1025'	29
WPR-5024	24" x 1025'	35
WPR-5030	30" x 1025'	44
WPR-5036	36" x 1025'	52
WPR-5048	48" x 1025'	70
WPR-5060	60" x 1025'	87
WPR-5072	72" x 1025'	104




**CUSTOM
SIZE
AVAILABLE**

- Available in 30, 40, 50, 60, & 75 lb.
- Custom sizes available upon request

KRAFT WRAPPING PAPER

Item No.	Size	Lbs. / Roll
Kraft - 60 lbs.		
WPR-6012	12" x 825'	17
WPR-6015	15" x 825'	22
WPR-6018	18" x 825'	26
WPR-6020	20" x 825'	29
WPR-6024	24" x 825'	35
WPR-6030	30" x 825'	44
WPR-6036	36" x 825'	52
WPR-6048	48" x 825'	70
WPR-6060	60" x 825'	87
WPR-6072	72" x 825'	104
Kraft - 75 lbs.		
WPR-7536	36" x 650'	52
WPR-7548	48" x 650'	70
WPR-7560	60" x 650'	87



PAPER DISPENSER

Item No. (Table Top)	Product No. (Wall Mount)	Description
WPR-D18-S	WPR-D18-W	Dispenser for roll up to 18"
WPR-D24-S	WPR-D24-W	Dispenser for roll up to 24"
WPR-D30-S	WPR-D30-W	Dispenser for roll up to 30"
WPR-D36-S	WPR-D36-W	Dispenser for roll up to 36"
WPR-D48-S	WPR-D48-W	Dispenser for roll up to 48"

STRETCH FILM

MEGA packaging®



Quality Product by



Manufacturer

- Cast Hand Wrap
- Product identification / bar coding
- Tighter Package / reduced shifting
- Superior load retention
- Product Protection / Reduced Breaks



MEGA packaging®

**NO
DISPENSER
NEEDED!**



MEGA packaging

MICRON - CAST HAND WRAP

Item No.	Size	Thickness	Lbs. / Case	Rolls / Case
FLM-120160	16" x 1500'	12 microns	18.04	4
FLM-145160	16" x 1500'	14.5 microns	21.92	4
FLM-160160	16" x 1500'	16.0 microns	24.20	4
FLM-175160	16" x 1500'	17.5 microns	26.40	4
FLM-120175	17.5" x 1500'	12 microns	19.84	4
FLM-145175	17.5" x 1500'	14.5 microns	23.96	4
FLM-160175	17.5" x 1500'	16.0 microns	26.40	4
FLM-175175	17.5" x 1500'	17.5 microns	28.80	4

CONVENTIONAL HAND WRAP

Item No.	Size	Thickness	Lbs. / Case	Rolls / Case
FLM-7012	12" x 1500'	70 gauge	20.20	4
FLM-7015	15" x 1500'	70 gauge	25.20	4
FLM-7018	18" x 1500'	70 gauge	30.24	4
FLM-8012	12" x 1500'	80 gauge	23.10	4
FLM-8015	15" x 1500'	80 gauge	28.80	4
FLM-8018	18" x 1500'	80 gauge	34.60	4
FLM-1880	17.5" x 1500'	16 micron	26.40	4
FLM-9012	12" x 1500'	90 gauge	25.92	4
FLM-9015	15" x 1500'	90 gauge	32.40	4
FLM-9018	18" x 1500'	90 gauge	38.90	4

STRETCH FILM WITH HANDLES

Item No.	Size	Thickness	Color	Rolls / Case	Lbs. / Case
FLM-8020	20" x 1000'	80 gauge	Clear	4	25.20
FLM-12020	20" x 700'	120 gauge	Clear	4	26.48
FLM-8020-RED	20" x 1000'	80 gauge	Red	4	25.20
FLM-8020-BLU	20" x 1000'	80 gauge	Blue	4	25.20
FLM-8020-GRN	20" x 1000'	80 gauge	Green	4	25.20
FLM-8020-BLK	20" x 1000'	80 gauge	Black	4	25.20
FLM-8020-WHT	20" x 1000'	80 gauge	White	4	25.20

COLOR TINTED & BLACK / WHITE OPAQUE

Item No.	Size	Thickness	Color	Rolls / Case	Lbs. / Case
FLM-8018-RED	18" x 1500'	80 gauge	Red	4	34.60
FLM-8018-BLU	18" x 1500'	80 gauge	Blue	4	34.60
FLM-8018-GRN	18" x 1500'	80 gauge	Green	4	34.60
FLM-8018-BLK	18" x 1500'	80 gauge	Black	4	34.60
FLM-8018-WHT	18" x 1500'	80 gauge	White	4	34.60

- Color code shipping inventory

STRETCH FILM



- Two-side cling
- Cast Film
- Stretches up to 225%
- Excellent puncture resistance

MACHINE GRADE STRETCH FILM

Item No.	Description	Rolls / Pallet	Lbs. / Roll
FLM-6520-7M	20" x 7000' * 65 gauge - Clear	40	35.84
FLM-7020-5M	20" x 5000' * 70 gauge - Clear	40	27.60
FLM-7020-6M	20" x 6000' * 70 gauge - Clear	40	33.10
FLM-7030-6M	30" x 6000' * 70 gauge - Clear	40	49.60
FLM-7520-5M	20" x 5000' * 75 gauge - Clear	40	29.50
FLM-7520-6M	20" x 6000' * 75 gauge - Clear	40	35.50
FLM-8020-5M	20" x 5000' * 80 gauge - Clear	40	31.50
FLM-8020-6M	20" x 6000' * 80 gauge - Clear	40	37.80
FLM-8030-5M	30" x 5000' * 80 gauge - Clear	20	47.25
FLM-9020-5M	20" x 5000' * 90 gauge - Clear	40	36.00
FLM-12020-3500	20" x 3500' * 120 gauge - Clear	40	33.07
FLM-8020-RED-5M	20" x 5000' * 80 gauge - Red	40	31.50
FLM-8020-BLU-5M	20" x 5000' * 80 gauge - Blue	40	31.50
FLM-8020-GRN-5M	20" x 5000' * 80 gauge - Green	40	31.50
FLM-8020-BLK-5M	20" x 5000' * 80 gauge - Black	40	31.50
FLM-8020-WHT-5M	20" x 5000' * 80 gauge - White	40	31.50

BANDING FILM

- More economical than strapping, tape, or twine
- Regular 80 gauge or heavy-duty 120 gauge

Item No.	Description	Rolls / Case	Lbs. / Case
FLM-803	3" x 1000' * 80 gauge	18	17.28
FLM-803-RED	3" x 1000' * 80 gauge	18	17.28
FLM-805	5" x 1000' * 80 gauge	12	19.20
FLM-805-RED	5" x 1000' * 80 gauge	12	19.20
FLM-1203	3" x 700' * 120 gauge	18	18.14
FLM-1205	5" x 700' * 120 gauge	12	20.16



STRETCH FILM DISPENSERS

Item No: FLM-258

- Designed for Comfort
- Broad Aluminum Base
- Use w/ 1.5, 2 & 3" Core
- Adjusts from 12 to 20"



Item No: FLM-104

- Lightweight
- Mini Aluminum Base
- Use w/ 1.5, 2 & 3" Core
- Adjusts from 12 to 20"



Item No.: FLM-772



CUTTER

Item No.: FLM-260



Item No: FLM-W600

- Heavy-duty plastic
- Use w/ 3" Core
- Adjustable brake



STRETCH WRAPPER NEW!

LOW PROFILE SEMI-AUTO STRETCH WRAPPER

Item No: EQ-PLP-2100

- 56" x 56" Max Pallet Size
- 15 RPM stretch wrapping speed
- Best in class flexibility c/w touchpad control
- 3 wrapping cycles
- Password protected
- Separate 1-9 top and bottom wrap count
- Separate up and down carriage speeds
- Automatic film loading safety shut-off switch
- Easy loading carriage with double lock door
- 4,000 lbs. weight capacity turntable
- Forklift portable from front and back
- Full 3 year warranty



START MAXI

FEATURES: Item No: FLM-WPR-START MAXI

- Wrapping height: 86"
- Film delivery type: Core brake
- Film capacity: 12" x 20"
- Electrical control: Robopac PLC
- Max stretch level: 100%
- Carriage lift: Chain
- Carriage lift motor: 1/4 HP
- Turntable drive motor: 1 HP
- Low profile version: 4000lb cap.; 10 RPM
- LP table drive: 3/4 chain drive
- LP table diameter: 65"

**PLEASE CALL
FOR PRICE.**



JOLLY

FEATURES: Item No: FLM-WPR-JOLLY

- Wrapping height: 86"
- Film delivery type: Core brake
- Film capacity: 12" x 20"
- Electrical control: Robopac PLC
- Max stretch level: 100%
- Carriage lift: Chain
- Carriage lift motor: 1/2 HP
- Turntable drive motor: 1 HP
- Low profile version: 4400lb cap.; 10 RPM
- LP table drive: 3/4 chain drive
- LP table diameter: 65"

**PLEASE CALL
FOR PRICE.**



JOLLY PPS

FEATURES: Item No: FLM-WPR-JOLLY PPS

- Wrapping height: 86"
- Film delivery type: Fixed Powered Pre-Stretch
- Film capacity: 12" x 20"
- Electrical control: Robopac PLC
- Max stretch level: 200% Pre-stretch
- Carriage lift: Chain
- Carriage lift motor: 1/2 HP
- Turntable drive motor: 1 HP
- Low profile version: 4400lb cap.; 10 RPM
- LP table drive: 3/4 chain drive
- LP table diameter: 65"

**PLEASE CALL
FOR PRICE.**



ROTOPLAT 506 PFS

FEATURES: Item No: FLM-WPR-506 PFS

- Wrapping height: 86"
- Film delivery type: Core brake
- Film capacity: 12" x 20"
- Electrical control: Robopac PLC
- Max stretch level: 100%
- Carriage lift: Chain
- Carriage lift motor: 1/4 HP
- Turntable drive motor: 1 HP
- Low profile version: 4000lb cap.; 10 RPM
- LP table drive: 3/4 chain drive
- LP table diameter: 65"

**PLEASE CALL
FOR PRICE.**





Sizes available up to 30 inches

PVC SHRINK FILM - 60 GAUGE

Item No.	Size	Ship Wt.
SF-PVC6006	6" x 2500'	10 lbs.
SF-PVC6008	8" x 2500'	14 lbs.
SF-PVC6010	10" x 2500'	18 lbs.
SF-PVC6012	12" x 2500'	22 lbs.
SF-PVC6014	14" x 2500'	26 lbs.
SF-PVC6016	16" x 2500'	29 lbs.
SF-PVC6018	18" x 2500'	32 lbs.
SF-PVC6020	20" x 2500'	35 lbs.
SF-PVC6022	22" x 2500'	38 lbs.

POLYOLEFIN - 60 GAUGE

Item No.	Size	Ship Wt.
SF-PLF6006	6" x 2500'	12 lbs.
SF-PLF6008	8" x 2500'	16 lbs.
SF-PLF6010	10" x 2500'	20 lbs.
SF-PLF6012	12" x 2500'	24 lbs.
SF-PLF6014	14" x 2500'	29 lbs.
SF-PLF6016	16" x 2500'	32 lbs.
SF-PLF6018	18" x 2500'	36 lbs.
SF-PLF6020	20" x 2500'	40 lbs.
SF-PLF6022	22" x 2500'	44 lbs.

PVC SHRINK FILM - 75 GAUGE

Item No.	Size	Ship Wt.
SF-PVC7506	6" x 2000'	10 lbs.
SF-PVC7508	8" x 2000'	14 lbs.
SF-PVC7510	10" x 2000'	18 lbs.
SF-PVC7512	12" x 2000'	22 lbs.
SF-PVC7514	14" x 2000'	26 lbs.
SF-PVC7516	16" x 2000'	29 lbs.
SF-PVC7518	18" x 2000'	32 lbs.
SF-PVC7520	20" x 2000'	35 lbs.
SF-PVC7522	22" x 2000'	38 lbs.

POLYOLEFIN - 75 GAUGE

Item No.	Size	Ship Wt.
SF-PLF7506	6" x 3500'	12 lbs.
SF-PLF7508	8" x 3500'	16 lbs.
SF-PLF7510	10" x 3500'	20 lbs.
SF-PLF7512	12" x 3500'	24 lbs.
SF-PLF7514	14" x 3500'	29 lbs.
SF-PLF7516	16" x 3500'	32 lbs.
SF-PLF7518	18" x 3500'	36 lbs.
SF-PLF7520	20" x 3500'	40 lbs.

PVC SHRINK FILM - 100 GAUGE

Item No.	Size	Ship Wt.
SF-PVC10006	6" x 1500'	10 lbs.
SF-PVC10008	8" x 1500'	14 lbs.
SF-PVC10010	10" x 1500'	18 lbs.
SF-PVC10012	12" x 1500'	22 lbs.
SF-PVC10014	14" x 1500'	26 lbs.
SF-PVC10016	16" x 1500'	29 lbs.
SF-PVC10018	18" x 1500'	32 lbs.
SF-PVC10020	20" x 1500'	35 lbs.
SF-PVC10022	22" x 1500'	38 lbs.

POLYOLEFIN - 100 GAUGE

Item No.	Size	Ship Wt.
SF-PLF10006	6" x 2620'	12 lbs.
SF-PLF10008	8" x 2620'	16 lbs.
SF-PLF10010	10" x 2620'	20 lbs.
SF-PLF10012	12" x 2620'	24 lbs.
SF-PLF10014	14" x 2620'	29 lbs.
SF-PLF10016	16" x 2620'	32 lbs.
SF-PLF10018	18" x 2620'	36 lbs.
SF-PLF10020	20" x 2620'	40 lbs.

SHRINK WRAP SEALERS

L-BAR SHRINK WRAP SEALER

- Impulse sealing with electronic control
- Heat gun available (not included item no. SLR-HG)

Heat Gun Sold Separately



Item No: SLR-HG

- Dual heat setting
- 1500 Watts




Item No.	Description	Ship Wt.
SLR-LB-12	12" L-Bar Sealer * 350 x 500mm	35 lbs.
SLR-KIT-LB-12	Kit for 12 in. L-Bar Shrink Wrap Sealer	
SLR-LB-18	18" L-Bar Sealer * 500 x 650mm	45 lbs.
SLR-KIT-LB-18	Kit for 18 in. L-Bar Shrink Wrap Sealer	
SLR-LB-24	24" L-Bar Sealer * 650 x 800mm	55 lbs.
SLR-KIT-LB-24	Kit for 24 in. L-Bar Shrink Wrap Sealer	

INFRARED SHRINK TUNNEL

Item No:SLR-TNL-400

- 220 volt (5kw), single phase, 25 amp.
- Heats from all 4 sides for even shrinking.
- Shrinks items up to 15-3/4" wide x 7-7/8" high.
- Works up to 24 feet per minute.
- Requires under 10 minutes to heat up the unit.

***Replacement Bulb: SLR-BULB-TNL-400**
220 Volt Heating Bulb



I-BAR SHRINK WRAP SEALER

- Impulse sealing with electronic control
- Heat gun available (not included item no. SLR-HG)

Heat Gun Sold Separately



Item No.	Description	Ship Wt.
SLR-IB-12	12" I-Bar Shrink Wrap Sealer	32 lbs.
SLR-KIT-IB-12	Kit for 12 in. I-Bar Shrink Wrap Sealer	
SLR-IB-18	18" I-Bar Shrink Wrap Sealer	40 lbs.
SLR-KIT-IB-18	Kit for 18 in. I-Bar Shrink Wrap Sealer	
SLR-IB-24	24" I-Bar Shrink Wrap Sealer	46 lbs.
SLR-KIT-IB-24	Kit for 24 in. I-Bar Shrink Wrap Sealer	
SLR-IB-30	30" I-Bar Shrink Wrap Sealer	55 lbs.
SLR-KIT-IB-30	Kit for 30 in. I-Bar Shrink Wrap Sealer	
SLR-IB-36	36" I-Bar Shrink Wrap Sealer	64 lbs.
SLR-KIT-IB-36	Kit for 36 in. I-Bar Shrink Wrap Sealer	

CLAM SHELL SEALER

Item No: SLR-772

- PVC, OPP, OPS food package sealing
- Sealing Area: 5-10mm



PORTABLE SEALER



Item No: SLR-150CS

- For aluminum foil
- Teflon coated

Item No: SLR-150PS

- For plastic bags
- Teflon tape

SHRINK WRAPPING SYSTEMS

SHRINK WRAPPING SYSTEMS

NEW!



Item No.	Sealing Area Dimensions	Speeds Per Minute	Power	Footprint	Max Size Film Roll
EQ-GALILEO	21" x 17" x 8"	Up to 9	220 Volt	47" x 32" x 52"	24"
EQ-FM77DIGIT	34" x 24" x 12"	Up to 6	208 Volt 3 Phase	74" x 37.5" x 55"	32"
EQ-FM90DIGIT	51" x 32" x 5"	Up to 5	208 Volt 3 Phase	110" x 51" x 60.5"	38"
EQ-FM-76ADIGIT	22" x 16.5" x 12"	Up to 12	208 Volt 3 Phase	62" x 31.5" x 55"	24"
EQ-FM77ADIGIT	34" x 24" x 12"	Up to 11	208 Volt 3 Phase	81" x 37.5" x 58"	32"
EQ-MEDIAAUTO	22" x 16.5" x 9.5"	Up to 16	208 Volt 3 Phase	89.5" x 31.5" x 55.5"	24"
EQ-PRIMA	21" x 17" x 8"	Up to 16	115 Volt	47" x 32" x 52"	24"
EQ-MODULAR50	22.5" x 16.5"	Up to 16	208 Volt 3 Phase	58.5" x 33.5" x 55"	24"
EQ-MODULAR70	34" x 24"	Up to 16	208 Volt 3 Phase	81.5" x 38" x 48"	28"
EQ-DIVA	Unlimited by 16.5" x 6"	Up to 60	208 Volt 3 Phase	70" x 46" x 52"	24"
EQ-DIGIT56T	16" x 22" x 6"	Up to 35	208 Volt 3 Phase	78" x 39.5" x 62.5"	22"
EQ-DIGIT79T	28" x 34" x 9"	Up to 40	208 Volt 3 Phase	102" x 45.5" x 68.5"	34"

SHRINK TUNNELS

NEW!

Item No.	Tunnel Inlet Dimensions	Power	Footprint
EQ-TUNNEL50	17.5" x 10"	208 Volt 3 Phase	49" x 31.5" x 57"
EQ-TUNNEL70	27" x 15"	208 Volt 3 Phase	75" x 43.5" x 60.5"
EQ-TUNNEL50TWIN	17.5" x 10"	208 Volt 3 Phase	65" x 31.5" x 57"

